






## Check vaccine labels and [FDA materials](#) before use to avoid mix-ups.

EUA fact sheets supersede info on vials and carton. Refer to [CDC Product Guide](#) for more information.

				<b>Pfizer</b>		
				<b>Infant/Toddler 6 months–4 years</b>	<b>Pediatric 5-11 years</b>	<b>Comirnaty 12+ years</b>
						
				2023-24 Formula	2023-24 Formula	2023-24 Formula
Packaging	Yellow Cap		Blue Cap		Gray Cap	
Doses Per Vial	3 doses		1 dose		1 dose	
Carton Size	30 doses		10 doses		10 doses	
<a href="#">NDC-Unit of Use (vial)</a>	59267-4315-01		59267-4331-01		00069-2362-10	
CVX Code	302		301		300	
CPT Code	91318		91319		91320	
Program Availability	VFC		VFC		VFC, BAP	
Min. Standard Order*	30 doses		10 doses		10 doses	
Storage Limits Before Puncture: Label vaccine with expiration and use-by dates.						
ULT	Until expiration date at -90°C to -60°C (-130°F to -76°F)					
Thermal Shipper						
Freezer						
Refrigerator	Up to 10 weeks at 2° to 8°C (36°F to 46°F). Write the date on carton—not to exceed expiration.					
Expiration Date	Check the label or <a href="#">Pfizer product website</a> .					
Administration						
Diluent (supplied)	1.1 mL per vial		Do not dilute		Do not dilute	
Dose Volume & Dose	0.3 mL 3 mcg dose		0.3 mL 10 mcg dose		0.3 mL 30 mcg dose	
Refrigerator Thaw Time (Do not refreeze)	2 hours in carton (2° to 8°C/36°F to 46°F)					
Room Temp Thaw Time (Do not refreeze)	Vial: 30 minutes at up to 25°C (77°F)					
Total Time at Room Temp	Up to 12 hours (including thaw time) at 8°C to 25°C (46°F to 77°F)					
Storage Limits After Puncture (Multi-dose vials): Record puncture and use-by time on vial label.						
Use-By Limit (Discard Time After 1st Puncture)	Discard 12 hours after dilution. Keep at 2°C to 25°C (35°F to 77°F)		N/A		N/A	

\* Orders for privately purchased vaccines may have different order minimums.

## Check vaccine labels and [FDA materials](#) before use to avoid mix-ups.

EUA fact sheets supersede info on vials and carton. Refer to [CDC Product Guide](#) for more information.

Moderna				Novavax
Pediatric 6 months– 11 years	Spikevax 12+ years	Spikevax 12+ years	Adol/Adult 12+ years	
 Green label 2023-24 Product	 Blue label 2023-24 Product	 2023-24 Product	 2021 Product (new product coming soon)	
Packaging	Dark Blue Cap	Dark Blue Cap	Syringe	Royal Blue Cap
Doses Per Vial	1 dose	1 dose	1 dose	5 doses
Carton Size	10 doses	10 doses	10 doses	50 doses
<a href="#">NDC-Unit of Use (vial)</a>	80777-0287-07	80777-0102-04	80777-0102-01	80631-0102-01
CVX Code	311	312	312	211
CPT Code	91321	91322	91322	91304
Program Availability	VFC	VFC, BAP	TBD	TBD
Min. Standard Order*	10 doses	10 doses	TBD	TBD
Storage Limits Before Puncture: Label vaccine with expiration and use-by dates.				
ULT				
Thermal Shipper				
Freezer	Until expiration at -50°C to -15°C (-58°F to 5°F)			
Refrigerator	Up to 30 days (not to exceed expiration date) at 2–8°C (36–46°F)			Until expiration
Expiration Date	Check <a href="#">Moderna product website</a> or QR code.			<a href="#">Check product website.</a>
Administration				
Diluent (supplied)	Do not dilute			Do not dilute
Dose Volume & Dose	0.25 mL 25 mcg	0.5 mL 50mcg	0.5 mL 50mcg	0.5 mL 5 mcg
Refrigerator Thaw Time (Do not refreeze)	45 minutes for single dose vial or 1 hour for syringe at 2°C to 8°C (36°F to 46°F). Let stand at room temp for 15 min before administering.			N/A
Room Temp Thaw Time (Do not refreeze)	15 minutes for single dose vial or 45 minutes for syringe at 15° to 25°C (59° to 77°F)			N/A
Total Time at Room Temp	Store up to 24 hours at 8°C to 25°C (46°F to 77°F)			N/A
Storage Limits After Puncture (Multi-dose vials) Record use-by time on vial.				
Use-By Limit (Discard Time After 1st Puncture)	N/A. Discard after single use.			Discard 6 hours after puncture. Keep at 2° to 25°C (36° to 77°F)

\* Orders for privately purchased vaccines may have different order minimums.

## Do Not Use Deauthorized Products:

Use only COVID-19 vaccine products updated for 2023-24.

Pfizer						
Infant/Toddler 6 months–4 years		Pediatric 5–11 years		Adol/Adult 12+ years		
					Multi-dose 	Single 
2021 Monovalent	Bivalent	2021 Monovalent	Bivalent	2021 Monovalent	Bivalent	Bivalent

Moderna				
Infant/Toddler 6 months– 5 years	Infant/Toddler 6 months– 5 years	6 months+	Pediatric 6–11 years	Adol/Adult 12+ years
2021 Monovalent	Bivalent	Bivalent	2021 Monovalent	2021 Monovalent

Janssen (J&J)
Adult 18+ years
2021 Monovalent