






# ON TIME EVERY TIME: Keys to Prevention

## Immunization Schedule

### Screenings

-  Anemia: 9 months or 12 months
-  Lead : 9–12 months and again at 18–24 months
-  TB : 12 months if high risk
-  Hearing/Vision: Birth and 6 months

	Birth	2 Months	4 Months	6 Months	12 Months
<b>Hepatitis B</b>					
<b>Diphtheria, Tetanus, Pertussis</b>					
<b>Haemophilus Influenzae B</b>					
<b>Inactivated Poliovirus</b>					
<b>Measles, Mumps, Rubella</b>					
<b>Varicella</b>					
<b>Pneumococcal</b>					
<b>Influenza</b>				<b>ANNUALLY 6+ MONTHS</b>	
<b>Hepatitis A</b>					
<b>Rotavirus</b>					

 According to the Advisory Committee on Immunization Practices (ACIP), the American Academy of Pediatrics (AAP), and the American Academy of Family Physicians (AAFP), **the fourth dose of DTaP may be administered at 12 months of age provided that six months have elapsed since the third dose.**

New Jersey's Immunization Schedule is compatible with the current recommendations of the Advisory Committee on Immunization Practices (ACIP) of the Centers for Disease Control and Prevention (CDC), the American Academy of Pediatrics (AAP), and the American Academy of Family Physicians (AAFP). For more information, please contact the New Jersey Vaccine Preventable Disease Program: 609.588.7512.

